

1. **Name:** HOLBAN
2. **Surname:** STEFAN
3. **Date and place of birth:** 27 December, 1947, Timișoara
4. **Citizenship:** Romanian
5. **Civil status:**
6. **Education:**

Institution	Period	Degrees / diplomas obtained
Technical University Bucharest, Faculty of Automatics	1965-1970	License
“Politehnica” University Timișoara, Specialty: Computers	1988	Doctor of technical sciences

7. **Scientific title:** Doctor of technical sciences PhD, University Professor, Engineer

8. **Work experience:**

Institution	Period	Function	Description
Territorial Calculation Center Timișoara – Research department	1978-1980	System engineer	Development of system software for Felix C256
Politehnica University Timișoara	1979-1990	Lecturer	Teaching and research
Politehnica University Timișoara	1990-1992	Associated Professor	Teaching and research
Politehnica University Timișoara	1992-present	Professor	Teaching and research
Faculty of Computer Science and Automatics	1995-2005	Dean	Coordination of the teaching activity

9. **Foreign languages:** English

10. **Invention patents:** -

11. **Published works** (Most relevant from last three year):

1. Lihu Andrei, **Holban Stefan**, A review of ensemble methods for de novo motif discovery in ChIP-Seq data, BRIEFINGS IN BIOINFORMATICS Volume: 16 Issue: 6 Pages: 964-973 Published: NOV 2015, *Impact Factor: 9.61*
2. Frandes Mirela, Timar Bogdan, Tole Alexandra, **Holban S**, Mobile technology support for clinical decision in diabetic keto-acidosis emergency Studies in health technology and informatics Volume: 210 Pages: 316-20 Published: 2015
3. Stolojescu-Crisan Cristina, **Holban Stefan**, An Interactive X-Ray Image Segmentation Technique for Bone Extraction, Proceedings IWBBIO 2014: International work-conference on Bioinformatics and Biomedical engineering, vols 1 and 2 Pages: 1164-1171 Published: 2014
4. Cernazanu-Glavan, Cosmin, Lungeanu Diana, **Holban Stefan**, Mobile Data Acquisition towards Contextual Risk Assessment for Better Disease Management in Diabetes, 2014 IEEE 9th International Symposium on Applied Computational Intelligence and Informatics (SACI) Pages: 337-341 Published: 2014
5. R. Robu, C. Vaçar, N. Robu and Ș Holban, "A study on Ant Miner parameters," Information, Intelligence, Systems and Applications (IISA), 2015 6th International Conference on, Corfu, 2015, pp. 1-11., Published: 2014.

doi: 10.1109/IISA.2015.7388032 12. **Membership of professional associations:**

- member of ACM (Association for Computing Machinery)
- member of Romanian Biochemistry Society
- member of IEEE (Institute of Electrical and Electronics Engineers)
- member of the Editorial Board of the Journal - *Advances in electrical and computer Engineering*
- Coordinator of the (PhD) doctor's title program – Department of data bases and artificial intelligence, CCS-AC, Politehnica University Timișoara

13. **Specializations and qualifications:**

- Romanian Academy prize “Nicolae Telcu” (1980)

14. Gathered experience (including in management) in other national/international programs/projects:

Program/Project	Function	Period
Tempus - Germany, University of Bochum	Associated Professor	1997
Tempus – United Kingdom, University of Exeter	Associated Professor	1999
Tempus – Netherlands, University of Amsterdam	Associated Professor	1999
Contract in the field of Gireles type communications -- United Kingdom, University of East London	Associated Professor	2003

15. Research fields and topics that shall be approached with the infrastructure developed within the project:

EXPERT IN DATA MINING AND MATHEMATICAL SIMULATION
RISK EVALUATION
INFORMATION PROCESS AND ANALYSIS
ARTIFICIAL INTELLIGENCE

I herein declare on my behalf that the above mentioned data are true and real.

Date of completion:

Signature



26.07.2016

PROFESSOR DR. ENG. ȘTEFAN HOLBAN

A Genetic Algorithm Approach to DNA Microarrays Analysis of Pancreatic Cancer

Nicolae Teodor MELITA¹, Irinel POPESCU², Stefan HOLBAN³

¹ "Politehnica" University of Timisoara, Faculty of Automation and Computers, 2 V. Parvan Blvd., RO-300223 Timisoara, Romania, nt_melita@yahoo.com

²Fundeni Clinical Institute, Center of General Surgery and Liver Transplantation, 258 Fundeni Street, RO-022328 Bucharest, Sector 2, Romania, irinel.popescu@icfundeni.ro

³"Politehnica" University of Timisoara, Faculty of Automation and Computers, 2 V. Parvan Blvd., RO-300223 Timisoara, Romania, stefan@cs.utt.ro

Abstract—We address the problem of collecting and analyzing vast amount of information in medicine and biology, in the light of the revolutionary technological evolution during the last decades. Currently, the methods of achieving information challenge our capacity to sort and process that data. However, we use the methods of machine learning to sort and analyze this information. In this comprehensive review we describe an experiment of analyzing DNA microarrays using a Genetic Algorithm for feature selection. We study how we can establish a causal relationship between a pattern of genic expression and the evolution of pancreatic cancer using a Genetic Algorithm.

Index Terms—DNA Microarrays, Feature Selection, Genetic Algorithm, Support Vector Machines, Pancreatic Cancer

I. INTRODUCTION

In last decades, information technology generated a revolution in medicine, in all areas, from diagnosis techniques to high level surgery procedures. In this context, we witness a spectacular revolution in genetics. The complexity of the research process became so overwhelming, that it is almost impossible these days to develop a breakthrough research in medicine without the collaboration of scientists from completely different fields. We expect that future development will provide us with new diagnostic methods and treatments capable to heal some of the worst prognosticated diseases nowadays.

The Pancreatic Cancer is still a big challenge for the medicine at the moment. The lack of an efficient screening and the unspecific symptomatology make early diagnosis almost impossible in most of the cases. Consequently to late diagnosis, the treatment is inefficient, and we witness a very high rate of mortality.

The DNA microarrays (Figure 1) are glass or plastic chips which immobilize thousands to hundred thousands samples of DNA fragments, cDNA or oligonucleotides, depending of chip construction technology.




Figure 1. a) An example of DNA microarray, Stanford technology; b) An example of Affimetrix chip (the source of the image is wikipedia.org, a public domain).

The microarray technology allows the comparison of samples collected from normal and tumor biological probes, in terms of differentially expressed genes. In this manner, we can establish a causal relationship between a pattern of genic expression and the evolution of a malignant process; to find the markers of that specific process. The microarray technology sets the basis for very efficient screening and diagnosing cancer in an early stage of development. It could also expand into a starting point for developing new treatments for various types of cancer.

Our experiment represents a specific step in a more complex research project concerning the pancreatic cancer. The project "Gene Expression Profile and Biomarkers Study Correlated with Clinicopathological Parameters in Pancreatic Cancer" (GENOPACT) is a Romanian National Grant, CEEX 56/2005, developed by the Department of Surgery within the Fundeni Clinical Institute in collaboration with several academic and research institutes. The aim of the GENOPACT project is to discover a group of markers for the pancreas cancer, which will increase the efficiency of diagnosing the disease in early stages. Finding an optimal subset of differentially expressed genes is a very important task in achieving this goal.

II. PROBLEM STATEMENT

The problem we are addressing here is how we process the information provided by microarrays in order to achieve knowledge. Nowadays, the methods of machine learning and statistics are key factors of the research. The number of

probes immobilized on a single array grows every year, consequently, the complexity of the analysis increases.

We are interested in finding a group of differentially expressed genes that characterize the process in pancreatic cancer. Using Affymetrix HG-U133 Plus 2 arrays, we will compare samples collected from normal and tumor cells, derived from patients diagnosed with pancreatic cancer.

The main drawbacks of microarray technology are the background noise and the insufficient sensitivity. It is very difficult to distinguish between the genes that are causally involved in the process of interest, and the genes that are differentially expressed as consequences of another process.

We will use Machine learning techniques to overcome these problems. Our goal is to select, from all the differentially expressed probes, a subset of probes that we can use to discriminate very well between the normal and tumor samples. However, the machine learning techniques give an image of the problem, but further biological validation is needed to draw solid scientific conclusions.

We will use a Genetic Algorithm (GA) to select a subset of differentially expressed genes from the microarray data, we will study how efficient this subset proves to be in discriminating between the normal and tumor samples, and we will briefly inspect the biological significance of our experiment.

III. SURVEY OF THE LITERATURE

Because we are dealing with a relatively new interdisciplinary field, the literature is devised between all the research fields involved. We are interested in a better understanding of our dataset, so we want to know about the methods of biotechnology for creating microarrays and providing data to be analyzed (Causton, Quackenbush & Brazma, 2003 [1]). Other approaches focus on the bioinformatics' point of view on methods of collecting and analyzing data (Dov Stekel, 2003 [2]). The books that focus on the specific machine learning methods help in developing an image of how the algorithms work, their strong and weak points (Ressom, 2007 [3]; Duda, P. E. Hart and D. G. Stork, 2001 [4]; I. Witten and E. Frank, 2005 [5]).

A very helpful set of documents are focused on using the specific software tools that we can use in microarray analysis with emphasis on specific features (Venables & Ripley, 2000 [6], [7], [8]; D. G. Stork and E. Yom-Tov, 2004 [9]; Nicolae Morariu, Sorin Vlad [10]; Sam Roberts [11]; Robert Gentleman, Vince Carey, Wolfgang Huber, Rafael A. Irizarry, Sandrine Dudoit [12]). These books are designed to introduce the researchers in using these software packages fast and effective.

Currently, there are several software packages that offer the tools for our analysis. The experiments presented in this review were performed in R (version 2.6.2), utilizing the Bioconductor Project. The R software and supplementary packages are freely downloadable on the official website: <http://cran.r-project.org/>. The Bioconductor software, all the additional packages and the documentation are available on the Project's website: <http://www.bioconductor.org/>.

IV. METHOD

Our experiment is a part of the project Genopact, CEEX 56/2005, developed by a multidisciplinary team, and

supported by a group of healthcare providers, academic and research institutes. In this point of the research, we focus on selecting a subset of the probes that are optimal for discriminating between the normal and pancreatic cancer samples. Our analysis aims to restrict the group of genes assumed to have a causal relationship with the pancreatic cancer's evolution.

The GENOPACT dataset consists of 39 pancreatic cancer-normal sample pairs collected from patients diagnosed and monitored at the Center of General Surgery and Liver Transplantation from Fundeni Clinical Institute. The measurements were accomplished using Affymetrix HG-U133 Plus 2 arrays, resulting 78 microarray expression data.

First, we preprocessed the data using 5 algorithms (GCRMA, RMA, PLIER, MAS5, and LIWONG). The GCRMA granted the best results, so we developed our experiment based on this dataset. We assessed the quality of our data benefiting from the *affy*, *affycoretools*, *affyQCReport*, and *simpleaffy* R packages. The samples found to be problematic were removed. We continued the analysis with a dataset consisting of 70 samples.

We utilized the *genefilter* R package to apply a non-specific filter on the dataset, removing the probes with IQR across the samples on the log base 2 < 0.5 . Furthermore, the data was filtered using the moderated t-statistics computed with the *limma*[13] package. The $p\text{-value}=8e-09$ was found to be the cut-off where the Affymetrix controls were not differentially expressed anymore. The dataset was filtered for probes with $\log\text{ fold change}>2.0$ which were differentially expressed at $p\text{-value}<8e-09$. The result was a new dataset with 365 features.

Finally, we used a genetic algorithm to select the best features from a dataset with 365 probes and 62 samples. The 62 samples were randomly selected, with equal proportion of normal and tumor samples. The other 8 samples, 4 of each class, were kept separately, for consecutive validation of the results. The fitness function for the genetic algorithm was implemented upon a linear discriminant classifier (LDA). The genetic algorithm was set to minimize the error rate of the linear discriminant classifier, computed using 10-fold cross validation. Our aim was to determine which probes in our dataset are the most valuable for predicting the samples' class, rather than finding the smallest subset of features that can perfectly separate the normal and tumor arrays, on this specific dataset.

After we ran the Genetic Algorithm with 200 iterations, over the training set with 62 samples and 365 probes, 45 features (Table 1) appeared with a frequency more than 18% in the optimal selected features subsets. We applied the GA implementation provided in the *genalg* package.

We used unsupervised, and then supervised machine learning methods to evaluate our results. We focused on the full dataset containing 54675 features and 70 samples, the dataset with 365 features and 70 samples, resulted following the filtering step, and the dataset with 45 features and 70 samples, outcome of the genetic algorithm. We wished to test if the smallest dataset, with just 45 features is efficient in discriminating the tumor from normal samples. We were also interested to compare the performance of well-known efficient classifiers on the two datasets.

TABLE 1. THE MOST FREQUENT GENES IN THE GA OUTPUT

Gene Abbreviation	Frequency (%)	GeneName
1 FNI	65	fibronectin 1
2 GPRC5A	56	G protein-coupled receptor, family C, group 5, member A
3 CDH11	56	cadherin 11, type 2, OB-cadherin (osteoblast)
4 VCAN	49	versican
5 OLR1	47	oxidized low density lipoprotein (technique) receptor 1
6 SULF1	46	sulfase 1
7 NNMT	44	nicotinamide N-methyltransferase
8 WSP1	44	WNT1 inducible signaling pathway protein 1
9 RARBES1	42	retinoic acid receptor responder (retinotene induced) 1
10 ASPN	36	asponin
11 FBN1	35	fibulin 1
12 COL1A1	35	collagen, type I, alpha 1
13 MKRAS	34	matrix-remodelling associated 5
14 COL3A1	34	collagen, type III, alpha 1
15 COL8A1	33	collagen, type VIII, alpha 1
16 BNC2	32	basonuclin 2
17 CDNAFLJ38181 fls, clone FCBF1000125	32	NA
18 ITGBL1	31	integrin, beta-like 1 (with EGF-like repeat domains)
19 CALD1	30	caldesmon 1
20 RAB31	30	RAB31, member RAS oncogene family
21 MAFK	27	matrix metalloproteinase 7 (matrilysin, uterin)
22 PALLD	27	palladin, cytoskeletal associated protein
23 COL12A1	27	collagen, type XII, alpha 1
24 INHBA	27	inhibin, beta A
25 DPYSL3	25	dihydropyrimidinase-like 3
26 SEMA3C	23	sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3C
27 TIMEP1	23	transmembrane, prostate endrogen induced RNA
28 CDNAFLJ38472 fls, clone FEBRA2022148	23	NA
29 RUNXIT1	22	runx-related transcription factor 1, translocated to, 1 (cyclin D-related)
30 C5orf13	22	chromosome 5 open reading frame 13
31 IGFBP3	22	insulin-like growth factor binding protein 3
32 EICD1	22	tricaudal D homolog 1 (Drosophila)
33 TGM2	21	transglutaminase 2
34 COL1A2	21	collagen, type I, alpha 2
35 FBXO32	21	F-box protein 32
36 MFAF2	20	microfibrillar-associated protein 2
37 BGN	20	biglycan
38 HOP	19	homeodomain-only protein
39 ITGA2	19	integrin, alpha 2 (CD49B, alpha 2 subunit of VLA-2 receptor)
40 RAB34	19	RAB34, member RAS oncogene family
41 FER1L3	19	Fer-1-like 3, myoferlin (C. elegans)
42 PRRX1	19	paired related homeobox 1
43 TGFBI	18	transforming growth factor, beta-induced, 68kDa
44 ZNF332	18	zinc finger protein 332
45 FXCD5	18	FXCD domain containing ion transport regulator 5

V. RESULTS

The performance of the linear discriminant classifier, trained with 62 samples, over the testing set with 8 samples is presented in Table 2.

TABLE 2. THE PERFORMANCE OF LINEAR DISCRIMINANT CLASSIFIER

Testing set with 45 features	
LDA	predicted
	given normal tumor
	normal 4 0 tumor 1 3

Both classifiers performed better on the smaller dataset, with only 45 features. The results we got for the SVM with linear kernel and RDA are presented in the Table 3. We notice that the supervised learning results were in agreement with the beliefs we had after analyzing the unsupervised learning results. The dataset with 45 features is more efficient in predicting the samples' class with linear kernel SVM or RDA classifiers.

TABLE 3. THE SVM AND RDA PERFORMANCES

	Dataset with 365 features	Dataset with 45 features
SVM	Predicted	predicted
	given normal tumor	given normal tumor
	normal 30 5 tumor 3 32	normal 31 4 tumor 0 35
RDA	Predicted	predicted
	given normal tumor	given normal tumor
	normal 31 4 tumor 4 31	normal 30 5 tumor 0 35

The test for significant pathways on the 45 features dataset showed that, even the dataset contains a very small number of genes, at least five KEGG pathways are differentially expressed between the tumor and normal samples. The significant differentially expressed pathways in the 45 features dataset are presented in Table 4.

TABLE 4. THE DIFFERENTIALLY EXPRESSED PATHWAYS

	KEGG code	Pathway Name
1	04060	Cytokine-cytokine receptor interaction
2	04350	TGF-beta signaling pathway
3	04810	Regulation of actin cytoskeleton
4	05222	Small cell lung cancer
5	04514	Cell Adhesion Molecules

The pathways found significant in the dataset with 365 features are shown in Table 5.

TABLE 5. THE DIFFERENTIALLY EXPRESSED PATHWAYS

	KEGG code	Pathway Name
1	04060	Cytokine-cytokine receptor interaction
2	04350	TGF-beta signaling pathway
3	04810	Regulation of actin cytoskeleton
4	04540	Gap junction
5	05214	Glioma
6	05218	Melanoma
7	04010	MAPK signaling pathway
8	05222	small cell lung cancer
9	01430	Cell junction

We analyzed each dataset with the unsupervised methods, Divisive Analysis and Partitioning Around Medoids. The diana and pam implementations respectively, offered by the cluster R package, were employed for this task. For both methods we carried out the experiments using the Euclidean distance. We also applied Multidimensional Scaling (the sammon version implemented in the MASS R package) and PCA on the datasets. Some results of the unsupervised learning phase are presented in the Appendix A (Figure 2-12).

The 8 samples excluded from the GA step were tested with a linear discriminant classifier trained on the same 62 samples set, that was presented to the GA, but with only 45 features.

We continued our analysis, illustrating the performance of two classifiers over the filtered dataset with 365 features and the one with 45 features, generated consequently to GA output analysis. For this purpose, we preferred the support vector machines (SVM) with linear kernel function, and the regularized discriminant (RDA) offered by the MLInterfaces R package. The performance of classifiers over each dataset was evaluated using 5-fold cross validation.

The results of both the unsupervised and supervised learning steps were encouraging, so it became interesting to check if our results could gain biological sense. We tested for significant pathways in our dataset using the procedure offered by the R package globaltest.

VI. CONCLUSION

1. Both classifiers were able to predict the correct class of the samples better on the dataset with just 45 features. These results encouraged us to believe that these features are very important for predicting the cancer samples. Additional validation on new samples is needed to confirm our result.

2. Most of the genes outputted by the genetic algorithm are known to be related or involved in different types of cancers. However, further biological validation is needed to prove our results.

3. The pathways found to be differentially expressed between the tumor and normal samples, in the 45 features dataset, are notoriously involved in different malignant processes. This fact encourages us to believe that our findings have biological meaning.

4. We conclude that our approach is successful in selecting the most significant genes for predicting the samples' class. We have reasons to believe that, in the next steps of the project we can establish a very specific subset of genes causally related with the evolution of pancreatic cancer.

APPENDIX A

Unsupervised Learning Results:

Dataset 1 (70 samples, 54675 features)

Divisive Analysis - The Dataset with 54675 features




Figure 2. Divisive Analysis.





Figure 3. Multidimensional Scaling.



Partitioning Around Medoids - The Dataset with 54675 features




Figure 4. Partitioning Around Medoids.

Dataset 2 (70 samples, 365 features)




Figure 5. Heatmap and Dendrogram.

Divisive Analysis - The Dataset with 365 features




Figure 6. Divisive Analysis.

Dataset 3 (70 samples, 45 features)

Divisive Analysis - The Dataset with 45 features





Figure 9. Divisive Analysis.

Partitioning Around Medoids - The Dataset with 365 features



Partitioning Around Medoids - The Dataset with 365 features
n = 70





Figure 7. Partitioning Around Medoids.

Partitioning Around Medoids - The Dataset with 45 features



Partitioning Around Medoids - The Dataset with 45 features
n = 70




Figure 10. Partitioning Around Medoids.




Figure 8. Multidimensional Scaling.




Figure 11. Multidimensional Scaling.

REFERENCES




Figure 12. Heatmap and Dendrogram.

- [1] Helen Causton, John Quackenbush, Alvis Brazma (2003). Microarray Gene Expression Data Analysis: A Beginner's Guide, Blackwell Publishing Professional.
- [2] Dov Stekel, (2003), Microarray Bioinformatics, Cambridge University Press.
- [3] H. Ressom (2007), Lecture Notes, Georgetown University.
- [4] R. O. Duda, P. E. Hart and D. G. Stork, (2001), Pattern Classification, Second Edition, Wiley.
- [5] I. Witten and E. Frank, (2005), Data Mining (2nd Ed.), Morgan Kaufmann.
- [6] W. N. Venables, D. M. Smith & the R Development Core Team (2006), An Introduction to R.
- [7] William N. Venables and Brian D. Ripley (2002). Modern Applied Statistics with S. Fourth Edition, Springer, New York.
- [8] William N. Venables and Brian D. Ripley, (2000) S Programming. Springer, New York.
- [9] D. G. Stork and E. Yom-Tov, (2004), Computer Manual in MATLAB to Accompany Pattern Classification, Second Edition, Wiley.
- [10] Sam Roberts, (2005), Using Genetic Algorithms to Select a Subset of Predictive Variables from a High-Dimensional Microarray Dataset.
- [11] Nicolae Morariu, Sorin Vlad, (2007). Using Pattern Classification and Recognition Techniques for Diagnostic and Prediction, Advances in Electrical and Computer Engineering, Vol.7.
- [12] Robert Gentleman, Vince Carey, Wolfgang Huber, Rafael A. Irizarry, Sandrine Dudoit (2005), Bioinformatics and Computational Biology Solutions using R and Bioconductor, Springer, New York.
- [13] Smyth, G. K., (2004), Linear models and empirical Bayes methods for assessing differential expression in microarray experiments. Statistical Applications in Genetics and Molecular Biology, Vol.3, No.1, Article 3, <http://www.bepress.com/sagmb/vol3/iss1/art3>